Brain Research, 415 (1987) 409–411
Elsevier

Author Index

Ahmad, G., Halsall, L.C. and Bondy, S.C., Persistence of phencyclidine in fetal brain, 194
Aitken, P.G., see Jaffe, D.B., 197
Aloyo, V.J., see Steisslinger, H.W., 375
Appel, N.M., Wessendorf, M.W. and Elde, R.P., Thyrotropin-releasing hormone in spinal cord: coexistence with serotonin and with substance P in fibers and terminals apposing identified preganglionic sympathetic neurons, 137
Argiolas, A., see Melis, M.R., 98
Ariano, M.A. and Kenny, S.L., Neurochemical differences in the superior cervical ganglion of the spontaneously hypertensive rat stroke-prone variant, 115
Ayers, J., see Currie, S.N., 337
Azzaroni, A., see Parmeggiani, P.L., 79

Barker, J.L., see Mariani, A.P., 153
Baxendale, R.H., Ferrell, W.R. and Wood, L., The effect of mechanical stimulation of knee joint afferents on quadriceps motor unit activity in the decerebrate cat, 353
Bennett Jr., J.P., see Leslie, C.A., 90
Bertazzo, A., see Petroni, A., 226
Blackman, C.F., see Miller, D.B., 371
Blasevich, M., see Petroni, A., 226
Boegman, R.J., Smith, Y. and Parent, A., Quinolinic acid does not spare striatal neuropeptide Y-immunoreactive neurons, 178
Bondy, S.C., see Ahmad, G., 194
Borghi, A., see Petroni, A., 226
Bridges, R.J., Kesslak, J.P., Nieto-Sampedro, M., Broderick, J.T. and Cotman, C.W., A L-[^{3}H]glutamate binding site on glia: an autoradiographic study on implanted astrocytes, 163
Broderick, J.T., see Bridges, R.J., 163
Brodie, M.S., Lee, K., Fredholm, B.B., Ståhle, L. and Dunwiddie, T.V., Central versus peripheral mediation of responses to adenosine receptor agonists: evidence against a central mode of action, 323
Bruce, G., see Tago, H., 49

Caramia, M., see Rossini, P.M., 211
Castro, A.J., see Kartje-Tillotson, G., 172
Cevolani, D., see Parmeggiani, P.L., 79
Christen, W.G. and Mower, G.D., Effects of monocular occlusion and diffusion on visual system development in the cat, 233
Cianci, T., see Lenzi, P., 14
Conte, B., see Maggi, C.A., 1
Cosenza-Murphy, D., see Mariani, A.P., 153
Cossu, M., Martelli, A., Pau, A., Sehrbundt Viale, E., Siccardi, D. and Viale, G.L., Axonal elongation into peripheral nerve grafts between thalamus and somatosensory cortex of the rat. An experimental model, 399
Cotman, C.W., see Bridges, R.J., 163
Cotman, C.W., see Rosenblatt, D.E., 40
Currie, S.N. and Ayers, J., Plasticity of fin command system function following spinal transection in larval sea lamprey, 337

Duazvardis, M.F., see Kartje-Tillotson, G., 172

DeSouza, E.B., see Powers, R.E., 347
Deutch, A.Y., see Elsworth, J.D., 293
Devor, M., see Lisney, S.J.W., 122
Dickenson, A.H., see Knox, R.J., 21
Diez-Guerra, F.J., see Grossmann, R., 205
Drewes, L.R., see Fatehi, M.I., 30
Dunnett, S.B., Whishaw, I.Q., Rogers, D.C. and Jones, G.H., Dopamine-rich grafts ameliorate whole body motor asymmetry and sensory neglect but not independent limb use in rats with 6-hydroxydopamine lesions, 63
Dunwiddie, T.V., see Brodie, M.S., 323
Dyer, R.G., see Grossmann, R., 205

Ehrlich, D., Teuchert, G. and Morgan, I.G., Specific ganglion cell death induced by intravitreal kainic acid in the chicken retina, 342
Elde, R.P., see Appel, N.M., 137
Elsworth, J.D., Deutch, A.Y., Redmond Jr., D.E., Sladek Jr., J.R. and Roth, R.H., Effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) on catecholamines and metabolites in primate brain and CSF, 293
Fanciullacci, M., see Maggi, C.A., 1
Fatehi, M.I., Gerhart, D.Z., Myers, T.G. and Drewes, L.R., Characterization of the blood–brain barrier: glycoconjugate receptors of 14 lectins in canine brain, cultured endothelial cells, and blotted membrane proteins, 30
Ferrari, G., see Parmeggiani, P.L., 79
Ferrel, W.R., see Baxendale, R.H., 353
Franzini, C., see Lenzi, P., 14
Fredholm, B.B., see Brodie, M.S., 323
Frilli, S., see Maggi, C.A., 1
Fujitsuka, N., Sokabe, M., Yoshimura, A. and Ito, F., Possible fusimotor innervation to frog muscle spindles, 144
Furio, M., see Maggi, C.A., 1

Galli, C., see Petroni, A., 226
Gemba, H., see Sasaki, K., 362
Geppetti, P., see Maggi, C.A., 1
Gerhart, D.Z., see Fatehi, M.I., 30
Gessa, G.L., see Melis, M.R., 98
Gibson, M.J., see Perlow, M.J., 158
Girgis, S.I., see Kubota, Y., 385
Giuliani, S., see Maggi, C.A., 1
Goldberg, S.J., see Gurahian, S.M., 281
Grossi, P., see Petroni, A., 226
Grossmann, R., Diez-Guerra, F.J., Mansfield, S. and Dyer, R.G., Neonatal testosterone modifies LH secretion in the adult female rat by altering the opioid–noradrenergic interaction in the medial preoptic area, 205
Guidalotti, P.L., see Lenzi, P., 14
Gurahian, S.M. and Goldberg, S.J., Fatigue of lateral rectus and retractor bulbi motor units in cat, 281

Halsall, L.C., see Ahmad, G., 194
Hand, T.H., Hu, X.-T. and Wang, R.Y., Differential effects of acute clozapine and haloperidol on the activity of ventral tegmental (A10) and nigrostriatal (A9) dopamine neurons, 257

Hersh, L.B., see Tago, H., 49
Hostetler, A.M., see Moran, T.H., 149
Hu, X.-T., see Hand, T.H., 257

Icard-Liepkalns, C., see Shimahara, T., 357
Inagaki, S., see Kubota, Y., 385
Ito, F., see Fujitsuka, N., 144
Iwama, K., see Sumitomo, I., 389

Jaffe, D.B., Aitken, P.G. and Nadler, J.V., The effects of cholecystokinin and cholecystokinin antagonists on synaptic function in the CA_1 region of the rat hippocampal slice, 197
Jarrott, B., see Shulkes, A., 404
Jones, G.H., see Dunnett, S.B., 63
Juel, V.C., see Vern, B.A., 188

Kanje, M., see Sjöberg, J., 270
Kaplan, R., see Kent, S., 169
Kartje-Tillotson, G., O'Donoghue, D.L., Dauzvardis, M.F. and Castro, A.J., Pyramidotomy abolishes the abnormal movements evoked by intracortical microstimulation in adult rats that sustained neonatal cortical lesions, 172
Kasting, N.W., see Wilkinson, M.F., 275
Kavaliers, M., Calcium channel blockers inhibit the antagonistic effects of Phe-Met-Arg-Phe-amide (FMRFamide) on morphine- and stress-induced analgesia in mice, 380
Kavaliers, M. and Wiebe, J.P., Analgesic effects of the progesterone metabolite, 3α-hydroxy-5α-pregnan-20-one, and possible modes of action in mice, 393
Kenny, S.L., see Ariano, M.A., 115
Kent, S., Kaplan, R. and Satinoff, E., Decreases in REM sleep after phentolamine depend on the ambient temperature, 169
Kesslak, J.P., see Bridges, R.J., 163
Kito, S., see Kubota, Y., 385
Knauer, D.J., see Rosenblatt, D.E., 40
Knox, R.J. and Dickenson, A.H., Effects of selective and non-selective κ-opioid receptor agonists on cutaneous C-fibre-evoked responses of rat dorsal horn neurones, 21
Kogure, K., see Onodera, H., 309
Kokoris, G., see Perlow, M.J., 158
Kreiger, D.T., see Perlow, M.J., 158
Krukoff, T.L., Neuropeptide Y-like immunoreactivity in cat spinal cord with special reference to autonomic areas, 300
Kubota, Y., Inagaki, S., Shimada, S., Kito, S., Zaidi, M., Girgis, S.I., MacIntyre, I. and Tohyama, M., Transient appearance of calcitonin gene-related peptide-like immunoreactive fibers in the developing cerebellum of the rat, 385

Lee, K., see Brodie, M.S., 323
Lenzi, P., Cianci, T., Guidalotti, P.L., Leonardi, G.S. and Franzini, C., Brain circulation during sleep and its relation to extracerebral hemodynamics, 14
Leonardi, G.S., see Lenzi, P., 14
Leslie, C.A. and Bennett Jr., J.P., Striatal D_1- and D_2-dopamine receptor sites are separately detectable in vivo, 90
Levin, E.D., see Morgan, M.M., 367
Lewis, S.J., see Shulkes, A., 404
Liebeskind, J.C., see Morgan, M.M., 367
Lisney, S.J.W. and Devor, M., Afterdischarge and interactions among fibers in damaged peripheral nerve in the rat, 122

Ma, W. and Ohara, P.T., Synaptic glomeruli in the nucleus submedius of the rat thalamus, 331
MacIntyre, I., see Kubota, Y., 385
Maggi, C.A., Santicioli, P., Geppetti, P., Furio, M., Frilli, S., Conte, B., Fanciullacci, M., Giuliani, S. and Meli, A., The contribution of capsaicin-sensitive innervation to activation of the spinal vesico-vesical reflex in rats: relationship between substance P levels in the urinary bladder and the sensory-efferent function of capsaicin-sensitive sensory neurons, 1
Mansfield, S., see Grossmann, R., 205
Mariani, A.P., Cosenza-Murphy, D. and Barker, J.L., GABAergic synapses and benzodiazepine receptors are not identically distributed in the primate retina, 153
Martelli, A., see Cossu, M., 399
McGeer, P.L., see Tago, H., 49
McHugh, P.R., see Moran, T.H., 149
Meli, A., see Maggi, C.A., 1
Melis, M.R., Argiolas, A. and Gessa, G.L., Apomorphine-induced penile erection and yawning: site of action in brain, 98
Miller, D.B., Blackman, C.F. and O'Callaghan, J.P., An increase in glial fibrillary acidic protein follows brain hyperthermia in rats, 371
Moran, T.H., Smith, G.P., Hostetler, A.M. and McHugh, P.R., Transport of cholecystokinin (CCK) binding sites in subdiaphragmatic vagal branches, 149
Morgan, I.G., see Ehrlich, D., 342
Morgan, M.M., Levin, E.D. and Liebeskind, J.C., Characterization of the analgesic effects of the benzodiazepine antagonist, Ro 15-1788, 367
Mower, G.D., see Christen, W.G., 233
Myers, T.G., see Fatehi, M.I., 30

Nadler, J.V., see Jaffe, D.B., 197
Nieto-Sampedro, M., see Bridges, R.J., 163
Nieto-Sampedro, M., see Rosenblatt, D.E., 40

O'Callaghan, J.P., see Miller, D.B., 371
O'Donoghue, D.L., see Kartje-Tillotson, G., 172
Ohara, P.T., see Ma, W., 331
Onodera, H., Sato, G. and Kogure, K., Quantitative autoradiographic analysis of muscarinic cholinergic and adenosine A_1 binding sites after transient forebrain ischemia in the gerbil, 309

Parent, A., see Boegman, R.J., 178
Parmeggiani, P.L., Cevolani, D., Azzaroni, A. and Ferrari, G., Thermosensitivity of anterior hypothalamic-preoptic neurons during the waking–sleeping cycle: a study in brain functional states, 79
Pau, A., see Cossu, M., 399
Perlow, M.J., Kokoris, G., Gibson, M.J., Silverman, A.J., Kreiger, D.T. and Zimmerman, E.A., Accessory olfactory bulb transplants correct hypogonadism in mutant mice, 158
Petroni, A., Borghi, A., Blasevich, M., Grossi, P., Bertazzo, A. and Galli, C., Effects of hypoxia and recovery on brain eicosanoids and carbohydrate metabolites in rat brain cortex, 226
Powers, R.E., DeSouza, E.B., Walker, L.C., Price, D.L., Vale, W.W. and Young III, W.S., Corticotropin-releasing factor as a transmitter in the human olivocerebellar pathway, 347
Price, D.L., see Powers, R.E., 347

Radulovacki, M., see Vern, B.A., 188
Redmond Jr., D.E., see Elsworth, J.D., 293

Rhoades, R.W., see Sahibzada, N., 242
Rogers, D.C., see Dunnett, S.B., 63
Rosenblatt, D.E., Cotman, C.W., Nieto-Sampedro, M., Rowe, J.W. and Knauer, D.J., Identification of a protease inhibitor produced by astrocytes that is structurally and functionally homologous to human protease nexin-I, 40
Rossini, P.M., Caramia, M. and Zarola, F., Central motor tract propagation in man: studies with non-invasive, unifocal, scalp stimulation, 211
Roth, R.H., see Elsworth, J.D., 293
Rowe, J.W., see Rosenblatt, D.E., 40

Sahibzada, N., Yamasaki, D. and Rhoades, R.W., The spinal and commissural projections from the superior colliculus in rat and hamster arise from distinct neuronal populations, 242
Santicioli, P., see Maggi, C.A., 1
Sasaki, K. and Gemba, H., Effects of cooling the prefrontal and prestriate cortex upon visually initiated hand movements in the monkey, 362
Satinoff, E., see Kent, S., 169
Sato, G., see Onodera, H., 309
Schuette, W.H., see Vern, B.A., 188
Sehrbundt Viale, E., see Cossu, M., 399
Sheedlo, H.J. and Siegel, G.J., Comparison of the distribution of Na^+,K^+-ATPase and myelin-associated glycoprotein (MAG) in the optic nerve, spinal cord and trigeminal ganglion of shiverer (*shi/shi*) and control (+/+) mice, 105
Shimada, S., see Kubota, Y., 385
Shimahara, T. and Icard-Liepkalns, C., Activation of enkephalin receptors reduces calcium conductance in neuroblastoma cells, 357
Shulkes, A., Lewis, S.J. and Jarrott, B., Strain differences in central nervous system neurotensin content between normotensive and spontaneously hypertensive rats, 404
Siccardi, D., see Cossu, M., 399
Siegel, G.J., see Sheedlo, H.J., 105
Silverman, A.J., see Perlow, M.J., 158
Sjöberg, J. and Kanje, M., Incorporation of [^{32}P]phosphate into nucleotides of the dorsal root ganglia of regenerating rat sciatic nerve, 270
Sladek Jr., J.R., see Elsworth, J.D., 293
Smith, G.P., see Moran, T.H., 149
Smith, Y., see Boegman, R.J., 178
Sokabe, M., see Fujitsuka, N., 144
Ståhle, L., see Brodie, M.S., 323
Steisslinger, H.W., Aloyo, V.J. and Vitković, L., Characterization of two plasma membrane proteins abundant in rat brain, 375
Sumitomo, I. and Iwama, K., Neuronal organization of rat thalamus for processing information of vibrissal movements, 389

Tago, H., McGeer, P.L., Bruce, G. and Hersh, L.B., Distribution of choline acetyltransferase-containing neurons of the hypothalamus, 49
Teuchert, G., see Ehrlich, D., 342
Tohyama, M., see Kubota, Y., 385

Vale, W.W., see Powers, R.E., 347
Vern, B.A., Schuette, W.H., Juel, V.C. and Radulovacki, M., A simplified method for monitoring the cytochrome aa_3 redox state in bilateral cortical areas of unanesthetized cats, 188
Viale, G.L., see Cossu, M., 399
Vitković, L., see Steisslinger, H.W., 375

Walker, L.C., see Powers, R.E., 347
Wang, R.Y., see Hand, T.H., 257
Wenthold, R.J., Evidence for a glycinergic pathway connecting the two cochlear nuclei: an immunocytochemical and retrograde transport study, 183
Wessendorf, M.W., see Appel, N.M., 137
Whishaw, I.Q., see Dunnett, S.B., 63
Wiebe, J.P., see Kavaliers, M., 393
Wilkinson, M.F. and Kasting, N.W., The antipyretic effects of centrally administered vasopressin at different ambient temperatures, 275
Wood, L., see Baxendale, R.H., 353

Yamasaki, D., see Sahibzada, N., 242
Yoshimura, A., see Fujitsuka, N., 144
Young III, W.S., see Powers, R.E., 347

Zaidi, M., see Kubota, Y., 385
Zarola, F., see Rossini, P.M., 211
Zimmerman, E.A., see Perlow, M.J., 158